INDEX

TO VOLUME 34

SUBJECT INDEX

Abortion
Contraceptive use among U.S. women having abortions in 2000–2001, Jones RK, Darroch JE and Henshaw SK, p. 294.

Did abortion legalization reduce the number of unwanted children? evidence from adoptions, see **Law and Policy.**

Doctors receive warning about mifepristone, FYI, p. 117.

Having an abortion using mifepristone and home misoprostol: a qualitative analysis of women's experiences, Fielding SL, Edmunds E and Schaff EA, p. 34.

Irish have spoken on abortion, FYI, p. 61.

Medical abortion: decisions, decisions, FYI, p. 177.

Mifepristone for early medical abortion: experiences in France, Great Britain and Sweden, Special Report, Jones RK and Henshaw SK, p. 154.

Mifepristone on the (mis?)information superhighway, FYI, p. 176.

Patterns in the socioeconomic characteristics of women obtaining abortions in 2000–2001, Jones RK, Darroch JE and Henshaw SH, p. 226.

Risk of postpartum induced abortion in Finland: a register-based study, Vikat A, Kosunen E and Rimpelä M, p. 84.

Swiss movement, FYI, p. 176.

Adoption
Did abortion legalization reduce the number of unwanted children? evidence from adoptions, see **Law and Policy.**

Barrier Methods
Condom donations are shrinking, FYI, p. 276.

Condom machine haute couture, FYI, p. 117.

Condoms as a political tool, FYI, p. 177.

Female condom use rises if women receive good instruction and training, Digest, p. 169.

Mother's attitudes affect ability to discuss condom use with her adolescent, see **Teenagers.**

Peer advocate services increase the odds that women with HIV will use condoms with main partners, see **Sexually Transmitted Diseases.**

Poor Hispanic women who have been sterilized are unlikely to use condoms, Digest, p. 51.

Refusal to try female condom largely reflects aversion to insertion, Digest, p. 268.

Trade-off between hormonal contraceptives and condoms among adolescents, see **Teenagers.**

Breastfeeding
Breastfeeding is not catching on, FYI, p. 277.

Citing a preference for bottle-feeding, the vast majority of black women do not breastfeed, Digest, p. 53.

In developed and developing countries, breast cancer risk is reduced by 4% for each year of breastfeeding, Digest, p. 319.

Contraceptive Practice
Chronically homeless women's perceived deterrents to contraception, Gelberg L, Leake B, Lu MC, Andersen R, Nyamathi AM, Morgenstern H and Browner C, p. 278.

Contraceptive method switching in the United States, Grady WR, Billy JOG and Klepinger DH, p. 135.

Contraceptive use among U.S. women having abortions in 2000–2001, see **Abortion.**

Factors affecting British teenagers' contraceptive use at first intercourse: the importance of partner communication, see **Teenagers.**

Female condom use rises if women receive good instruction and training, see **Barrier Methods.**

Predictors of contraceptive discontinuation in a sexually transmitted disease clinic population, Research Note, Ramstrom KC, Barón AE, Crane LA and Shlay JC, p. 146.

Trade-off between hormonal contraceptives and condoms among adolescents, see **Teenagers.**

Contraceptive Research
Current contraceptive research, Special Report, Schwartz JL and Gabelnick HL, p. 310.

Emergency Contraception
How can pharmacies improve access to emergency contraception? Viewpoint, Boggess JE, p. 162.

Pharmacy access to emergency contraception in Europe, Letter, Ulmann A and Gainer E, p. 271.

Ethics
Legal and ethical considerations in research with sexually active adolescents: the requirement to report statutory rape, see **Teenagers.**

Evaluation of Programs
Jail-based syphilis services can benefit both arrestees and the larger community, see **Sexually Transmitted Diseases.**

Preventing pregnancy and improving health care access among teenagers: an evaluation of the Children's Aid Society–Carrera Program, Philliber S, Kaye JW, Herrling S and West E, p. 244.

Fertility: Planning and Effects
Reproductive options for HIV-serodiscordant couples, Letter, Bujan L and Pasquier C, p. 104.

Government Policy, Programming and Funding
Did abortion legalization reduce the number of unwanted children? evidence from adoptions, see **Law and Policy.**

U.S. agencies providing funded contraceptive services in 1999, see **Service Providers.**

Hormonal Implants and Injectables
Norplant: no problem...except that it's off the market, FYI, p. 224.

Trade-off between hormonal contraceptives and condoms among adolescents, see **Teenagers.**

Hormone Replacement Therapy
Breast cancer risk tied to long-term hormone use after menopause, Digest, p. 170.

Insurance Coverage
Catholic schools thinking outside the box, FYI, p. 60.

International
Big changes in Japan, FYI, p. 224.

In developed and developing countries, breast cancer risk is reduced by 4% for each year of breastfeeding, see **Breastfeeding.**

Mifepristone for early medical abortion: experiences in France, Great Britain and Sweden, see **Abortion.**

Risk of postpartum induced abortion in Finland: a register-based study, see **Abortion.**

Intrauterine Devices
Checkered history and bright future of intrauterine contraception in the United States, Viewpoint, Hubacher D, p. 98.

IUD ifs, ands and buts, FYI, p. 60.

Law and Policy
Did abortion legalization reduce the number of unwanted children? evidence from adoptions, Bitler M and Zavodny M, p. 25.

House committee just says yes to abstinence-only education, FYI, p. 116.

Legal and ethical considerations in research with sexually active adolescents: the requirement to report statutory rape, see **Teenagers.**

News from state houses, FYI, p. 4.

When to clone, FYI, p. 5.

Males
Family characteristics and sexual risk behaviors among black men in the United States, see **Sexual Behavior.**

INDEX

TO VOLUME 34

SUBJECT INDEX

Abortion
Contraceptive use among U.S. women having abortions in 2000–2001, Jones RK, Darroch JE and Henshaw SK, p. 294.

Did abortion legalization reduce the number of unwanted children? evidence from adoptions, see **Law and Policy.**

Doctors receive warning about mifepristone, FYI, p. 117.

Having an abortion using mifepristone and home misoprostol: a qualitative analysis of women's experiences, Fielding SL, Edmunds E and Schaff EA, p. 34.

Irish have spoken on abortion, FYI, p. 61.

Medical abortion: decisions, decisions, FYI, p. 177.

Mifepristone for early medical abortion: experiences in France, Great Britain and Sweden, Special Report, Jones RK and Henshaw SK, p. 154.

Mifepristone on the (mis?)information superhighway, FYI, p. 176.

Patterns in the socioeconomic characteristics of women obtaining abortions in 2000–2001, Jones RK, Darroch JE and Henshaw SH, p. 226.

Risk of postpartum induced abortion in Finland: a register-based study, Vikat A, Kosunen E and Rimpelä M, p. 84.

Swiss movement, FYI, p. 176.

Adoption
Did abortion legalization reduce the number of unwanted children? evidence from adoptions, see **Law and Policy.**

Barrier Methods
Condom donations are shrinking, FYI, p. 276.

Condom machine haute couture, FYI, p. 117.

Condoms as a political tool, FYI, p. 177.

Female condom use rises if women receive good instruction and training, Digest, p. 169.

Mother's attitudes affect ability to discuss condom use with her adolescent, see **Teenagers.**

Peer advocate services increase the odds that women with HIV will use condoms with main partners, see **Sexually Transmitted Diseases.**

Poor Hispanic women who have been sterilized are unlikely to use condoms, Digest, p. 51.

Refusal to try female condom largely reflects aversion to insertion, Digest, p. 268.

Trade-off between hormonal contraceptives and condoms among adolescents, see **Teenagers.**

Breastfeeding
Breastfeeding is not catching on, FYI, p. 277.

Citing a preference for bottle-feeding, the vast majority of black women do not breastfeed, Digest, p. 53.

In developed and developing countries, breast cancer risk is reduced by 4% for each year of breastfeeding, Digest, p. 319.

Contraceptive Practice
Chronically homeless women's perceived deterrents to contraception, Gelberg L, Leake B, Lu MC, Andersen R, Nyamathi AM, Morgenstern H and Browner C, p. 278.

Contraceptive method switching in the United States, Grady WR, Billy JOG and Klepinger DH, p. 135.

Contraceptive use among U.S. women having abortions in 2000–2001, see **Abortion.**

Factors affecting British teenagers' contraceptive use at first intercourse: the importance of partner communication, see **Teenagers.**

Female condom use rises if women receive good instruction and training, see **Barrier Methods.**

Predictors of contraceptive discontinuation in a sexually transmitted disease clinic population, Research Note, Ramstrom KC, Barón AE, Crane LA and Shlay JC, p. 146.

Trade-off between hormonal contraceptives and condoms among adolescents, see **Teenagers.**

Contraceptive Research
Current contraceptive research, Special Report, Schwartz JL and Gabelnick HL, p. 310.

Emergency Contraception
How can pharmacies improve access to emergency contraception? Viewpoint, Boggess JE, p. 162.

Pharmacy access to emergency contraception in Europe, Letter, Ulmann A and Gainer E, p. 271.

Ethics
Legal and ethical considerations in research with sexually active adolescents: the requirement to report statutory rape, see **Teenagers.**

Evaluation of Programs
Jail-based syphilis services can benefit both arrestees and the larger community, see **Sexually Transmitted Diseases.**

Preventing pregnancy and improving health care access among teenagers: an evaluation of the Children's Aid Society–Carrera Program, Philliber S, Kaye JW, Herrling S and West E, p. 244.

Fertility: Planning and Effects
Reproductive options for HIV-serodiscordant couples, Letter, Bujan L and Pasquier C, p. 104.

Government Policy, Programming and Funding
Did abortion legalization reduce the number of unwanted children? evidence from adoptions, see **Law and Policy.**

U.S. agencies providing funded contraceptive services in 1999, see **Service Providers.**

Hormonal Implants and Injectables
Norplant: no problem...except that it's off the market, FYI, p. 224.

Trade-off between hormonal contraceptives and condoms among adolescents, see **Teenagers.**

Hormone Replacement Therapy
Breast cancer risk tied to long-term hormone use after menopause, Digest, p. 170.

Insurance Coverage
Catholic schools thinking outside the box, FYI, p. 60.

International
Big changes in Japan, FYI, p. 224.

In developed and developing countries, breast cancer risk is reduced by 4% for each year of breastfeeding, see **Breastfeeding.**

Mifepristone for early medical abortion: experiences in France, Great Britain and Sweden, see **Abortion.**

Risk of postpartum induced abortion in Finland: a register-based study, see **Abortion.**

Intrauterine Devices
Checkered history and bright future of intrauterine contraception in the United States, Viewpoint, Hubacher D, p. 98.

IUD ifs, ands and buts, FYI, p. 60.

Law and Policy
Did abortion legalization reduce the number of unwanted children? evidence from adoptions, Bitler M and Zavodny M, p. 25.

House committee just says yes to abstinence-only education, FYI, p. 116.

Legal and ethical considerations in research with sexually active adolescents: the requirement to report statutory rape, see **Teenagers.**

News from state houses, FYI, p. 4.

When to clone, FYI, p. 5.

Males
Family characteristics and sexual risk behaviors among black men in the United States, see **Sexual Behavior.**

Transition of adolescent males to first sexual intercourse: anticipated or delayed? see **Teenagers.**

Marriage and the Family
Marriage among unwed mothers: whites, blacks and Hispanics compared, Graefe DR and Lichter DT, p. 286.

Minnesota is the place for kids, FYI, p. 224.

Maternal and Child Health
Children with prenatal cocaine exposure have elevated risk of cognitive impairments at least until age two, Digest, p. 317.

Consequences for infants of parental disagreement in pregnancy intention, Korenman S, Kaestner R and Joyce T, p. 198.

Disadvantages from very low birth weight last into young adulthood, Digest, p. 167.

Health of mothers, babies may be compromised in planned home births, Digest, p. 320.

How do children do after in vitro? FYI, p. 176.

Japanese babies are shrinking, FYI, p. 5.

Low birth weight, preterm risks grow when women have psychiatric problems, Digest, p. 321.

Neonatal death risk: effect of prenatal care is most evident after term birth, Digest, p. 270.

Nipping obesity in the bud, FYI, p. 225.

Not all infants born to women with preeclampsia are low-birth-weight; gestational age is a key factor, Digest, p. 216.

Odds of adverse outcome of second birth are elevated for teenagers, see **Teenagers.**

Odds of perinatal death are elevated when women who have had a cesarean plan to deliver vaginally, Digest, p. 266.

Postpartum anemia is more common and lasts longer in poor women than in those who are better-off, Digest, p. 54.

Use of multiple anti-HIV drugs does not raise risk of adverse birth outcomes, Digest, p. 322.

Prenatal cocaine and opiate use are linked to a wide variety of health hazards, Digest, p. 218.

Risk of low or very low birth weight rises after assisted reproduction, Digest, p. 219.

She who hesitates..., FYI, p. 61.

Stay until it's time for you to go, FYI, p. 61.

New Methods
New contraceptive wins approval, FYI, p. 4.

With this ring..., FYI, p. 225.

Oral Contraceptives
Heaviest women have the most pill failures, FYI, p. 177.

Long-term pill use, high parity raise cervical cancer risk among women with human papillomavirus infection, see **Reproductive Health.**

No pill–breast cancer link, FYI, p. 224.

Regimen that doubles the number of active pills per cycle reduces bleeding, Digest, p. 109.

Should pill users fly? FYI, p. 5.

Trade-off between hormonal contraceptives and condoms among adolescents, see **Teenagers.**

Use of any combined pill type confers an elevated risk of a first heart attack, Digest, p. 167.

Vaginal use of pill reduces side effects, FYI, p. 277.

Pregnancy and Childbirth
Birth of the blues, FYI, p. 4.

Births to some women on welfare drop, FYI, p. 4.

Extent of pregnancy mistiming and its association with maternal characteristics and behaviors and pregnancy outcomes, Research Note, Pulley L, Klerman LV, Tang H and Baker BA, p. 206.

Health of mothers, babies may be compromised in planned home births, see **Maternal and Child Health.**

How-many-martini pregnancy? FYI, p. 117.

Once burned..., FYI, p. 116.

Pregnant? Me? Nein! FYI, p. 116.

Toll of unwanted pregnancy, FYI, p. 277.

Public Opinion
Is anybody out there listening? FYI, p. 225.

Reproductive Health
Estrogen-only therapy after menopause is linked to ovarian cancer, Digest, p. 319.

Long-term pill use, high parity raise cervical cancer risk among women with human papillomavirus infection, Digest, p. 214.

Pap gap, FYI, p. 117.

Risk of bacterial vaginosis is elevated for women who douche, whether or not they have had symptoms, Digest, p. 107.

Service Providers
Go practice on someone else! FYI, p. 276.

Physician attitudes may ha mper assessments of patients' risk status, Digest, p. 269.

U.S. agencies providing publicly funded contraceptive services in 1999, Finer LB, Darroch JE and Frost JJ, p. 15.

Sexual Behavior
Age at first sex and human papillomavirus infection linked through behavioral factors and partner's traits, Digest, p. 171.

Among sexually experienced male adolescents, those with partners of both sexes exhibit riskiest behavior, Digest, p. 166.

Among women in jail, whites are at the greatest risk of acquiring HIV, see **Sexually Transmitted Diseases.**

Among young adults, use of the Internet to find sexual partners is rising, Digest, p. 318.

Employment and the sexual and reproductive behavior of female adolescents, see **Teenagers.**

Family characteristics and sexual risk behaviors among black men in the United States, Research Note, Bakken RJ and Winter M, p. 252.

Friendships and early relationships: links to sexual initiation among American adolescents born to young mothers, see **Teenagers.**

High school–based program tied to reduction in risk of having unprotected sex, see **Sexuality Education.**

Is lack of sexual assertiveness among adolescent and young adult women a cause for concern? see **Teenagers.**

Mother's attitudes affect ability to discuss condom use with her adolescent, see **Teenagers.**

Predictors of overlapping relationships are different for men and women, Digest, p. 267.

Risky behavior is growing more common among British men and women, Digest, p. 109.

Sexual assertiveness and adolescents' sexual rights, see **Teenagers.**

Sexual intercourse and the age difference between adolescent females and their romantic partners, see **Teenagers.**

Sexual risks are increased for women who were ever in foster or kinship care, Digest, p. 55.

Transition of adolescent males to first sexual intercourse: anticipated or delayed? see **Teenagers.**

Sexuality Education
High school–based program tied to reduction in risk of having unprotected sex, Digest, p. 51.

Sexually Transmitted Diseases
A model for involving youth in health planning: HIV prevention in Pennsylvania, see **Teenagers.**

Age at first sex and human papillomavirus infection linked through behavioral factors and partner's traits, see **Sexual Behavior.**

Among women in jail, whites are at the greatest risk of acquiring HIV, Digest, p. 323.

Campaign to eliminate syphilis gets mixed results, FYI, p. 276.

Chlamydia rates in public clinics: repeat infections exceed new diagnoses, Digest, p. 220.

Circumcision may lower risk of both acquiring

and transmitting HPV, Digest, p. 216.

Current or past physical or sexual abuse as a risk marker for sexually transmitted disease in pregnant women, Johnson PJ and Hellerstedt WL, p. 62.

Few teenagers in managed care plans get chlamydia tests; nearly one in five of those tested are infected, see **Teenagers.**

HIV counseling and testing: women's experiences and the perceived role of testing as a prevention strategy, Exner TM, Hoffman S, Parikh K, Leu C-S and Ehrhardt AA, p. 76.

HIV-related stigma falls, but some misperceptions about transmission persist, Digest, p. 215.

Jail-based syphilis services can benefit both arrestees and the larger community, Digest, p. 217.

Latest on HIV and AIDS, FYI, p. 5.

Mother-child transmission of HIV in South Carolina halved by drug therapy, Digest, p. 266.

Peer advocate services increase the odds that women with HIV will use condoms with main partners, Digest, p. 105.

Phone notification option encourages youth at risk of HIV to get test results, see **Teenagers.**

Sexual health is suffering in Europe, FYI, p. 277.

Thousands with HIV delay getting care, FYI, p. 60.

Whether Americans seek HIV testing is linked to race and perceived risk, Digest, p. 106.

You gotta have HAART, FYI, p. 60.

Sterilization

Five years after their own or their husband's sterilization, few women regret the decision, Digest, p. 265.

Poor Hispanic women who have been sterilized are unlikely to use condoms, see **Barrier Methods.**

Teenagers

A downside to boys' self-esteem, FYI, p. 117.

A model for involving youth in health planning: HIV prevention in Pennsylvania, Special Report, Silvestre AJ, Faber JF, Shankle MD and Kopelman JP, p. 91.

Among sexually experienced male adolescents, those with partners of both sexes exhibit riskiest behavior, see **Sexual Behavior.**

Association of early childbearing and low cognitive ability, Shearer DL, Mulvihill BA, Klerman LV, Wallander JL, Hovinga ME and Redden DT, p. 236.

Early childbearing and children's achievement and behavior over time, Hofferth SL and Reid L, p. 41.

Employment and the sexual and reproductive behavior of female adolescents, Rich LM and Kim S-B, p. 127.

Factors affecting British teenagers' contraceptive use at first intercourse: the importance of partner communication, Stone N and Ingham R, p. 191.

Few teenagers in managed care plans get chlamydia tests; nearly one in five of those tested are infected, Digest, p. 50.

Friendships and early relationships: links to sexual initiation among American adolescents born to young mothers, Cooksey EC, Mott FL and Neubauer SA, p. 118.

High school–based program tied to reduction in risk of having unprotected sex, see **Sexuality Education.**

Is lack of sexual assertiveness among adolescent and young adult women a cause for concern? Rickert VI, Sanghvi R and Wiemann CM, p. 178.

Is there a causal link between maltreatment and adolescent pregnancy? a literature review, Blinn-Pike L, Berger T, Dixon D, Kuschel D and Kaplan M, p. 68.

It's 10 o'clock: do you know where your children are? FYI, p. 277.

Legal and ethical considerations in research with sexually active adolescents: the requirement to report statutory rape, Comment, Findholt N and Robrecht LC, p. 259.

Mother's attitudes affect ability to discuss condom use with her adolescent, Digest, p. 55.

Must-see TV? FYI, p. 176.

Odds of adverse outcome of second birth are elevated for teenagers, Digest, p. 52.

On the fence is not a good place to be, FYI, p. 116.

One-third of teenagers experience abuse within heterosexual relationships, Digest, p. 108.

Parents are youngsters' top choice as source of health information, Digest, p. 110.

Perils of parental notification, FYI, p. 225.

Phone notification option encourages youth at risk of HIV to get test results, Digest, p. 172.

Preventing pregnancy and improving health care access among teenagers: an evaluation of the Children's Aid Society–Carrera Program, see **Evaluation of Programs.**

Sexual assertiveness and adolescents' sexual rights, Viewpoint, East P and Adams J, p. 212.

Sexual intercourse and the age difference between adolescent females and their romantic partners, Research Note, Kaestle CE, Morisky DE and Wiley DJ, p. 304.

Teenage sexual behavior: the trends may surprise you, FYI, p. 276.

Teenagers report a mix of ethnicities and ages among their partners, Digest, p. 168.

Their lips are sealed, FYI, p. 224.

Trade-off between hormonal contraceptives and condoms among adolescents, Ott MA, Adler NE, Millstein SG, Tschann JM and Ellen JM, p. 6.

Transition of adolescent males to first sexual intercourse: anticipated or delayed? Forste R and Haas DW, p. 184.

U.S. teenage birthrate continues to fall, FYI, p. 177.

What is welfare reform doing for teenagers? FYI, p. 177.

AUTHOR INDEX

Adams J, see East P.

Adler NE, see Ott MA.

Andersen R, see Gelberg L.

Baker BA, see Pulley L.

Bakken RJ and Winter M, Family characteristics and sexual risk behaviors among black men in the United States, Research Note, p. 252.

Barón AE, see Ramstrom KC.

Berger T, see Blinn-Pike L.

Billy JOG, see Grady WR.

Bitler M and Zavodny M, Did abortion legalization reduce the number of unwanted children? evidence from adoptions, p. 25.

Blinn-Pike L, Berger T, Dixon D, Kuschel D and Kaplan M, Is there a causal link between maltreatment and adolescent pregnancy? a literature review, p. 68.

Boggess JE, How can pharmacies improve access to emergency contraception? Viewpoint, p. 162.

Browner C, see Gelberg L.

Bujan L and Pasquier C, Reproductive options for HIV-serodiscordant couples, Letter, p. 104.

Cooksey EC, Mott FL and Neubauer SA, Friendships and early relationships: links to sexual initiation among American adolescents born to young mothers, p. 118.

Crane LA, see Ramstrom KC.

Darroch JE, see Finer LB; Jones RK.

Dixon D, see Blinn-Pike L.

East P and Adams J, Sexual assertiveness and adolescents' sexual rights, Viewpoint, p. 212.

Edmunds E, see Fielding SL.

Ehrhardt AA, see Exner TM.

Ellen JM, see Ott MA.

Exner TM, Hoffman S, Parikh K, Leu C-S and Ehrhardt AA, HIV counseling and testing: women's experiences and the perceived role of testing as a prevention strategy, p. 76.

Faber JF, see Silvestre AJ.

Fielding SL, Edmunds E and Schaff EA, Having an abortion using mifepristone and home misoprostol: a qualitative analysis of women's experiences, p. 34.

Findholt N and Robrecht LC, Legal and ethical considerations in research with sexually active adolescents: the requirement to report statutory rape, Comment, p. 259.

Finer LB, Darroch JE and Frost JJ, U.S. agencies providing publicly funded contraceptive services in 1999, p. 15.

Forste R and Haas DW, The transition of adolescent males to first sexual intercourse: anticipated or delayed? p. 184.

Frost JJ, see Finer LB.

Gabelnick HL, see Schwartz JL.

Gainer E, see Ulmann A.

Gelberg L, Leake B, Lu MC, Andersen R, Nyamathi AM, Morgenstern H and Browner C, Chronically homeless women's perceived deterrents to contraception, p. 278.

Grady WR, Billy JOG and Klepinger DH, Contraceptive method switching in the United States, p. 135.

Graefe DR and Lichter DT, Marriage among unwed mothers: whites, blacks and Hispanics compared, p. 286.

Haas DW, see Forste R.

Hellerstedt WL, see Johnson PJ.

Henshaw SK, see Jones RK.

Herrling S, see Philliber S.

Hofferth SL and Reid L, Early childbearing and children's achievement and behavior over time, p. 41.

Hoffman S, see Exner TM.

Hovinga ME, see Shearer DL.

Hubacher D, The checkered history and bright future of intrauterine contraception in the United States, Viewpoint, p. 98.

Ingham R, see Stone N.

Johnson PJ and Hellerstedt WL, Current or past physical or sexual abuse as a risk marker for sexually transmitted disease in pregnant women, p. 62.

Jones RK, Darroch JE and Henshaw SK, Contraceptive use among U.S. women having abortions in 2000–2001, p. 294; and Patterns in the socioeconomic characteristics of women obtaining abortions in 2000–2001, p. 226.

Jones RK and Henshaw SK, Mifepristone for early medical abortion: experiences in France, Great Britain and Sweden, Special Report, p. 154.

Joyce T, see Korenman S.

Kaestle CE, Morisky DE and Wiley DJ, Sexual intercourse and the age difference between adolescent females and their romantic partners, Research Note, p. 304.

Kaestner R, see Korenman S.

Kaplan M, see Blinn-Pike L.

Kaye JW, see Philliber S.

Klepinger DH, see Grady WR.

Klerman LV, see Pulley L; Shearer DL.

Kim S-B, see Rich LM.

Kopelman JP, see Silvestre AJ.

Korenman S, Kaestner R and Joyce T, Consequences for infants of parental disagreement in pregnancy intention, p. 198.

Kosunen E, see Vikat A.

Kuschel D, see Blinn-Pike L.

Leake B, see Gelberg L.

Leu C-S, see Exner TM.

Lichter DL, see Graefe DR.

Lu MC, see Gelberg L.

Millstein SG, see Ott MA.

Morgenstern H, see Gelberg L.

Morisky DE, see Kaestle CE.

Mott FL, see Cooksey EC.

Mulvihill BA, see Shearer DL.

Neubauer SA, see Cooksey EC.

Nyamathi AM, see Gelberg L.

Ott MA, Adler NE, Millstein SG, Tschann JM and Ellen JM, The trade-off between hormonal contraceptives and condoms among adolescents, p. 6.

Parikh K, see Exner TM.

Pasquier C, see Bujan L.

Philliber S, Kaye JW, Herrling S and West E, Preventing pregnancy and improving health care access among teenagers: an evaluation of the Children's Aid Society–Carrera Program, p. 244.

Pulley L, Klerman LV, Tang H and Baker BA, The extent of pregnancy mistiming and its association with maternal characteristics and behaviors and pregnancy outcomes, Research Note, p. 206.

Ramstrom KC, Barón AE, Crane LA and Shlay JC, Predictors of contraceptive discontinuation in a sexually transmitted disease clinic population, Research Note, p. 146.

Redden DT, see Shearer DL.

Reid L, see Hofferth SL.

Rich LM and Kim S-B, Employment and the sexual and reproductive behavior of female adolescents, p. 127.

Rickert VI, Sanghvi R and Wiemann CM, Is lack of sexual assertiveness among adolescent and young adult women a cause for concern? p. 178.

Rimpelä M, see Vikat A.

Robrecht LC, see Findholt N.

Sanghvi R, see Rickert VI.

Schaff EA, see Fielding SL.

Schwartz JL and Gabelnick HL, Current contraceptive research, Special Report, p. 310.

Shankle MD, see Silvestre AJ.

Shlay JC, see Ramstrom KC.

Shearer DL, Mulvihill BA, Klerman LV, Wallander JL, Hovinga ME and Redden DT, Association of early childbearing and low cognitive ability, p. 236.

Silvestre AJ, Faber JF, Shankle MD and Kopelman JP, A model for involving youth in health planning: HIV prevention in Pennsylvania, Special Report, p. 91.

Stone N and Ingham R, Factors affecting British teenagers' contraceptive use at first intercourse: the importance of partner communication, p. 191.

Tang H, see Pulley L.

Tolman DL, A perspective on the new *Perspectives*, Letter, p. 104.

Tschann JM, see Ott MA.

Ulmann A and Gainer E, Pharmacy access to emergency contraception in Europe, Letter, p. 271.

Vikat A, Kosunen E and Rimpelä M, Risk of postpartum induced abortion in Finland: a register-based study, p. 84.

Wallander JL, see Shearer DL.

West E, see Philliber S.

Wiemann CM, see Rickert VI.

Wiley DJ, see Kaestle CE.

Winter M, see Bakken RJ.

Zavodny M, see Bitler M.